

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0
Creation Date: July 15, 2019
Revision Date: July 15, 2019

SECTION 1: Identification

1.1 GHS Product identifier

Product name Cyclohexylamine

1.2 Other means of identification

Product number

-

Other names

HEXAHYDROANILINE; CHA-60; Cyclohexylamine

1.3 Recommended use of the chemical and restrictions on use

Identified uses

Industrial and scientific research use.

Uses advised against

no data available

1.4 Supplier's details

Company

Shanghai Yansheng Internet Technology Co., Ltd

Address

513, A3 / F, green space future center, Fengxian District,
Shanghai, 201400, China

Telephone

+86-4000-6969-66

1.5 Emergency phone number

**Emergency phone
number**

+86-4000-6969-66

Service hours

Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT
+8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Flammable liquids, Category 3
Acute toxicity - Category 4, Oral
Acute toxicity - Category 4, Dermal
Skin corrosion, Sub-category 1B
Reproductive toxicity, Category 2

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word	Danger
Hazard statement(s)	H226 Flammable liquid and vapour H302 Harmful if swallowed H312 Harmful in contact with skin H314 Causes severe skin burns and eye damage
Precautionary statement(s)	
Prevention	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/... P264 Wash ... thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P203 Obtain, read and follow all safety instructions before use.
Response	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower]. P370+P378 In case of fire: Use ... to extinguish. P301+P317 IF SWALLOWED: Get medical help. P330 Rinse mouth. P302+P352 IF ON SKIN: Wash with plenty of water/... P317 Get medical help. P321 Specific treatment (see ... on this label). P362+P364 Take off contaminated clothing and wash it before reuse. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P363 Wash contaminated clothing before reuse. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P316 Get emergency medical help immediately. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P318 IF exposed or concerned, get medical advice.
Storage	P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.
Disposal	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Cyclohexylamine	Cyclohexylamine	108-91-8	203-629-0	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Fresh air, rest. Half-upright position. Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention .

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth. Do NOT induce vomiting. Refer for medical attention . Give one or two glasses of water to drink.

4.2 Most important symptoms/effects, acute and delayed

This is classified as very toxic -- probable oral lethal dose is 50-500 mg/kg or between 1 teaspoon and 1 ounce for a 70 kg (150 lb.) person. It is considered a nerve poison. This is a weak methemoglobin-forming substance. (EPA, 1998)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Basic treatment: Establish a patent airway. Suction if necessary. Watch for signs of respiratory insufficiency and assist ventilations if necessary. Administer oxygen by nonrebreather mask at 10 to 15 L/min. Monitor for pulmonary edema and treat if necessary . Monitor for shock and treat if necessary . Anticipate seizures and treat if necessary . For eye contamination, flush eyes immediately with water. Irrigate each eye continuously with normal saline during transport . Do not use emetics. For ingestion, rinse mouth and administer 5 mL/kg up to 200 ml of water for dilution if the patient can swallow, has a strong gag reflex, and does Not drool. Administer activated charcoal . Cover skin burn/s with dry sterile dressings after decontamination . /Organic bases/Amines and related compounds/

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water spray, dry chemical, "alcohol resistant" foam, or carbon dioxide. Use water spray to keep fire-exposed containers cool. Solid streams of water may be ineffective and spread material.

5.2 Specific hazards arising from the chemical

When heated to decomposition, it emits highly toxic fumes. Vapor may travel a considerable distance to source of ignition and flash back. Toxic oxides of nitrogen are produced during combustion. Nitric acid; reacts vigorously with oxidizing materials. Stable, avoid physical damage, storage with oxidizing material. (EPA, 1998)

5.3 Special protective actions for fire-fighters

Use water in large amounts, powder, alcohol-resistant foam, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate danger area! Personal protection: self-contained breathing apparatus. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

6.2 Environmental precautions

Evacuate danger area! Personal protection: self-contained breathing apparatus. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

6.3 Methods and materials for containment and cleaning up

Stop or control the leak, if this can be done without undue risk. Eliminate all ignition sources. Use water spray to cool and disperse vapors, protect personnel, and dilute spills to

form nonflammable mixtures. Approach release from upwind. Absorb in noncombustible material for proper disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

NO open flames, NO sparks and NO smoking. Above 28°C use a closed system, ventilation and explosion-proof electrical equipment. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Fireproof. Separated from acids, oxidants, aluminium, copper, zinc and food and feedstuffs. Well closed. Outside or detached storage is preferred. Avoid oxidizing materials, acid, and sources of halogen. Store in a cool, dry well-ventilated location.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

TLV: 10 ppm as TWA; A4 (not classifiable as a human carcinogen). MAK: 8.2 mg/m³, 2 ppm; peak limitation category: I(2); pregnancy risk group: C

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear face shield or eye protection in combination with breathing protection.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Cyclohexylamine is a clear colorless to yellow liquid with an odor of ammonia. Flash point 90°F. Irritates the eyes and respiratory system. Skin contact may cause burns. Less dense than water. Vapors heavier than air. Toxic oxides of nitrogen produced during combustion.
Colour	Colorless or yellow liquid.
Odour	Strong, fishy, amine odor.
Melting point/freezing point	17°C(lit.)
Boiling point or initial boiling point and boiling range	135°C

Flammability	Class IC Flammable Liquid: Fl.P. at or above 73°F and below 100°F.
Lower and upper explosion limit/flammability limit	no data available
Flash point	30°C(lit.)
Auto-ignition temperature	560° F (USCG, 1999)
Decomposition temperature	no data available
pH	STRONG BASE
Kinematic viscosity	2.10 Pa/s at 20°C
Solubility	Very soluble (NTP, 1992)
Partition coefficient n-octanol/water	log Kow = 1.49
Vapour pressure	10 mm Hg (22 °C)
Density and/or relative density	0.867
Relative vapour density	3.42 (vs air)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Decomposes on burning. This produces toxic and corrosive fumes including nitrogen oxides. The substance is a strong base. It reacts violently with acid and is corrosive. Reacts violently with strong oxidants. This generates fire hazard. Attacks aluminium, copper and zinc.

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

FLAMMABLE LIQUID...CYCLOHEXYLAMINE neutralizes acids in exothermic reactions to form salts plus water. May be incompatible with isocyanates, halogenated organics, peroxides, phenols (acidic), epoxides, anhydrides, and acid halides. Flammable gaseous hydrogen may be generated in combination with strong reducing agents, such as hydrides.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Oxidizers, organic compounds, acid anhydrides, acid chlorides, acids, lead [Note: Corrosive to copper, aluminum, zinc & galvanized steel].

10.6 Hazardous decomposition products

When heated to decomposition it emits toxic fumes of NO_x /nitrogen oxides/.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 Rat oral 156 mg/kg
- Inhalation: no data available
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

A4: Not classifiable as a human carcinogen.

Reproductive toxicity

no data available

STOT-single exposure

The substance is corrosive to the eyes, skin and respiratory tract. Corrosive on ingestion. The substance may cause effects on the central nervous system.

STOT-repeated exposure

no data available

Aspiration hazard

A harmful contamination of the air can be reached rather quickly on evaporation of this substance at 20°C.

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: no data available
- Toxicity to daphnia and other aquatic invertebrates: no data available
- Toxicity to algae: no data available
- Toxicity to microorganisms: no data available

12.2 Persistence and degradability

A 100% theoretical BOD was observed for 10 mg/l of cyclohexylamine in an acclimated sewage inoculum, plant sludge and river mud over a 14 day incubation period(1). The theoretical BOD of cyclohexylamine (50 mg/l) was 79%, 68 % and 0% in an acclimated sewage inoculum, plant sludge and river mud respectively over a 14 day incubation period(1). The theoretical BOD of cyclohexylamine (100 mg/l) was 79%, 0% and 0% in an acclimated sewage inoculum, plant sludge and river mud respectively over a 14 day incubation period(1). A 200 mg/l sample of cyclohexylamine could not be biodegraded by an activated sludge and was assumed to be toxic to the microflora(2). A theoretical oxygen demand between 25 and 45% was observed for cyclohexylamine in a Warburg apparatus during a 5 day incubation period(3).

12.3 Bioaccumulative potential

An estimated BCF of 3 was calculated for cyclohexylamine(SRC), using a log Kow of 1.49(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

The Koc of cyclohexylamine is estimated as 150(SRC), using a measured log Kow of 1.49(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that cyclohexylamine is expected to have very high mobility in soil. The pKa of cyclohexylamine is 10.6(4), indicating that the protonated form will be the predominant species in moist soils and cations are expected to adsorb strongly to soil surfaces.

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: UN2357 (For reference only, please check.)

IMDG: UN2357 (For reference only, please check.)

IATA: UN2357 (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: CYCLOHEXYLAMINE (For reference only, please check.)

IMDG: CYCLOHEXYLAMINE (For reference only, please check.)

IATA: CYCLOHEXYLAMINE (For reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: 8 (For reference only, please check.)

IMDG: 8 (For reference only, please check.)

IATA: 8 (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: II (For reference only, please check.)

IMDG: II (For reference only, please check.)

IATA: II (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Cyclohexylamine	Cyclohexylamine	108-91-8	203-629-0
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances			Listed.

(PICCS)	
Vietnam National Chemical Inventory	Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)	Listed.
Korea Existing Chemicals List (KECL)	Listed.

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019

Revision Date July 15, 2019

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Any questions regarding this SDS, Please send your inquiry to sds@xixisys.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.