

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0
Creation Date: July 15, 2019
Revision Date: July 15, 2019

SECTION 1: Identification

1.1 GHS Product identifier

Product name 3-chloro-2-methylpropene

1.2 Other means of identification

Product number -

Other names 3-chloro-2-methylprop-1-ene; 1-Propene, 3-chloro-2-methyl-

1.3 Recommended use of the chemical and restrictions on use

Identified uses Industrial and scientific research use.

Uses advised against no data available

1.4 Supplier's details

Company Shanghai Yansheng Internet Technology Co., Ltd

Address 513, A3 / F, green space future center, Fengxian District, Shanghai, 201400, China

Telephone +86-4000-6969-66

1.5 Emergency phone number

Emergency phone number +86-4000-6969-66

Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Flammable liquids, Category 2

Acute toxicity - Category 4, Oral

Skin corrosion, Sub-category 1B

Skin sensitization, Category 1

Acute toxicity - Category 4, Inhalation

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 2

2.2 GHS label elements, including precautionary statements

Pictogram(s)





Signal word	Danger
Hazard statement(s)	H225 Highly flammable liquid and vapour H302 Harmful if swallowed H314 Causes severe skin burns and eye damage H317 May cause an allergic skin reaction H332 Harmful if inhaled H411 Toxic to aquatic life with long lasting effects
Precautionary statement(s)	
Prevention	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting/...] equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/... P264 Wash ... thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment.
Response	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water [or shower]. P370+P378 In case of fire: Use ... to extinguish. P301+P317 IF SWALLOWED: Get medical help. P330 Rinse mouth. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P363 Wash contaminated clothing before reuse. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P316 Get emergency medical help immediately. P321 Specific treatment (see ... on this label). P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P352 IF ON SKIN: Wash with plenty of water/... P333+P317 If skin irritation or rash occurs: Get medical help. P362+P364 Take off contaminated clothing and wash it before reuse. P317 Get medical help. P391 Collect spillage.
Storage	P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.
Disposal	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
3-chloro-2-methylpropene	3-chloro-2-methylpropene	563-47-3	209-251-2	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Fresh air, rest. Half-upright position. Artificial respiration may be needed. Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse and then wash skin with water and soap.

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth. Do NOT induce vomiting. Rest. Refer for medical attention .

4.2 Most important symptoms/effects, acute and delayed

Inhalation causes irritation of nose and throat. Contact of vapor or liquid with eyes causes irritation. Liquid irritates skin. Ingestion causes irritation of mouth and stomach. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Absorption, Distribution and Excretion

2-(14)C 3-Chloro-2-methylpropene (specific activity, 2.5 mCi/umol; radiochemical purity, 93%; 5% 1-chloro-2-methylpropene) was administered by gavage to male Fischer 344 rats as single or up to four daily doses of 150 mg/kg body weight in corn oil. The compound was extensively absorbed and rapidly excreted: 82% of the single dose was eliminated within 24 hours after treatment. It was rapidly distributed to tissues, and the highest concentrations were found in forestomach, liver and kidney; the concentration of radiolabel was considerably lower in glandular stomach than in forestomach. The tissue concentrations were approximately doubled after two doses, but little additional increase was observed after four doses. The concentrations decreased after cessation of treatment. After a single dose, about 58% of the administered radiolabel was found in the urine, 22% was exhaled and 2% was detected in the feces. In the expired air, about 12% of the dose was (14)C-carbon dioxide and 7% was volatile compounds.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Do not extinguish fire unless flow can be stopped. Use water in flooding quantities as fog because solid streams of water may spread fire. Cool all affected containers with flooding quantities of water, being sure to apply water from as far a distance as possible. Use alcohol foam, carbon dioxide or dry chemical.

5.2 Specific hazards arising from the chemical

Special Hazards of Combustion Products: Irritating and toxic hydrogen chloride and phosgene vapors may be formed. Behavior in Fire: Vapor is heavier than air and may travel considerable distance to a source of ignition and flash back. (USCG, 1999)

5.3 Special protective actions for fire-fighters

Use powder, carbon dioxide, foam. In case of fire: keep drums, etc., cool by spraying with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate danger area! Consult an expert! Personal protection: chemical protection suit including self-contained breathing apparatus. Remove all ignition sources. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations. Do NOT wash away into sewer. Do NOT let this chemical enter the environment.

6.2 Environmental precautions

Evacuate danger area! Consult an expert! Personal protection: chemical protection suit including self-contained breathing apparatus. Remove all ignition sources. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations. Do NOT wash away into sewer. Do NOT let this chemical enter the environment.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

NO open flames, NO sparks and NO smoking. NO contact with hot surfaces. Closed system, ventilation, explosion-proof electrical equipment and lighting. Do NOT use compressed air for filling, discharging, or handling. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Fireproof. Separated from strong oxidants and strong bases. Cooled. Well closed. Ventilation along the floor. Store in an area without drain or sewer access.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

MAK: carcinogen category: 3B

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety goggles or eye protection in combination with breathing protection.

Skin protection

Protective gloves.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Methylallyl chloride is a colorless to straw-colored liquid with a sharp penetrating odor. Less dense than water and insoluble in water. Flash point below 0°F. May be toxic by ingestion. Irritating to skin and eyes. Used to make plastics and pharmaceuticals.
Colour	COLORLESS TO STRAW-COLORED LIQUID
Odour	SHARP, PENETRATING
Melting point/freezing point	-80°C
Boiling point or initial boiling point and boiling range	71-72°C
Flammability	Highly flammable. Heating will cause rise in pressure with risk of bursting. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion limit/flammability limit	no data available
Flash point	-18°C
Auto-ignition temperature	540°C
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	4.2X10 ⁻⁴ Pa.s
Solubility	less than 1 mg/mL at 70° F (NTP, 1992)
Partition coefficient n-octanol/water	1.98
Vapour pressure	102 mm Hg (20 °C)
Density and/or relative density	0.927
Relative vapour density	3.12 (vs air)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Decomposes on burning. This produces toxic fumes including phosgene and hydrogen chloride. Reacts with strong bases and strong oxidants. This generates fire hazard.

10.2 Chemical stability

VOLATILE

10.3 Possibility of hazardous reactions

FLAMMABLE, DANGEROUS FIRE RISK. The vapour is heavier than air and may travel along the ground; distant ignition possible. METHYLALLYL CHLORIDE is sensitive to light. This chemical can react vigorously with oxidizers. It is incompatible with strong bases. It may react with water at elevated temperatures. (NTP, 1992).

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

Acute toxicity

- Oral: no data available
- Inhalation: no data available
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

Evaluation: There is inadequate evidence in humans for the carcinogenicity of 3-chloro-2-methylpropene. There is limited evidence in experimental animals for the carcinogenicity of 3-chloro-2-methylchloropropene. Overall evaluation: 3-Chloro-2-methylpropene is not classifiable as to its carcinogenicity to humans (Group 3).

Reproductive toxicity

no data available

STOT-single exposure

Lachrymation. The substance is irritating to the eyes, skin and respiratory tract. The substance may cause effects on the central nervous system. Exposure at high levels could cause lowering of consciousness.

STOT-repeated exposure

Repeated or prolonged contact may cause skin sensitization.

Aspiration hazard

A harmful contamination of the air can be reached very quickly on evaporation of this substance at 20°C.

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: no data available
- Toxicity to daphnia and other aquatic invertebrates: no data available
- Toxicity to algae: no data available
- Toxicity to microorganisms: no data available

12.2 Persistence and degradability

Oxidation parameters: biological oxygen demand (5 day test at 20 deg C): 0.81 NEN 3235-5.4 NEN: Dutch Standard Test Method

12.3 Bioaccumulative potential

An estimated BCF value of 10 was calculated for 3-chloro-2-methyl-1-propene(SRC), using a measured water solubility of 1400 mg/l at 25 deg C(1) and a recommended

regression-derived equation(2). According to a classification scheme(3), this BCF value suggests that bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

The Koc of 3-chloro-2-methyl-1-propene is estimated as approximately 81(SRC), using a measured water solubility of 1400 mg/l at 25 deg C(1) and a regression-derived equation(2,SRC). According to a recommended classification scheme(3), this estimated Koc value suggests that 3-chloro-2-methyl-1-propene has high mobility in soil(SRC).

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: UN2554 (For reference only, please check.)

IMDG: UN2554 (For reference only, please check.)

IATA: UN2554 (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: METHYLALLYL CHLORIDE (For reference only, please check.)

IMDG: METHYLALLYL CHLORIDE (For reference only, please check.)

IATA: METHYLALLYL CHLORIDE (For reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: 3 (For reference only, please check.)

IMDG: 3 (For reference only, please check.)

IATA: 3 (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: II (For reference only, please check.)

IMDG: II (For reference only, please check.)

IATA: II (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
3-chloro-2-methylpropene	3-chloro-2-methylpropene	563-47-3	209-251-2
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019

Revision Date July 15, 2019

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Any questions regarding this SDS, Please send your inquiry to sds@xixisys.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the

product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.