

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0
Creation Date: July 15, 2019
Revision Date: July 15, 2019

SECTION 1: Identification

1.1 GHS Product identifier

Product name Formamide

1.2 Other means of identification

Product number

-

Other names

potassium deutoformate; Formamide; Hydroxyformaldimin

1.3 Recommended use of the chemical and restrictions on use

Identified uses

Industrial and scientific research use.

Uses advised against

no data available

1.4 Supplier's details

Company

Shanghai Yansheng Internet Technology Co., Ltd

Address

513, A3 / F, green space future center, Fengxian District,
Shanghai, 201400, China

Telephone

+86-4000-6969-66

1.5 Emergency phone number

Emergency phone number

+86-4000-6969-66

Service hours

Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT
+8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Reproductive toxicity, Category 1B

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

none

Precautionary statement(s)

Prevention

P203 Obtain, read and follow all safety instructions before use.
P280 Wear protective gloves/protective clothing/eye
protection/face protection/hearing protection/...

Response

P318 IF exposed or concerned, get medical advice.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container to an appropriate treatment

and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Formamide	Formamide	75-12-7	200-842-0	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Fresh air, rest. Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower.

Following eye contact

Rinse with plenty of water for several minutes (remove contact lenses if easily possible).

Following ingestion

Rinse mouth. Refer for medical attention .

4.2 Most important symptoms/effects, acute and delayed

INHALATION: A moderate irritant to mucous membranes. EYES: Moderately irritating to the eyes. SKIN: A mild to moderate irritant to the skin. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Absorption, Distribution and Excretion

Formamide is absorbed directly through guinea pig skin .

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Fire Extinguishing Agents: Dry chemical, water, alcohol foam, or carbon dioxide. (USCG, 1999)

5.2 Specific hazards arising from the chemical

Special Hazards of Combustion Products: Toxic fumes emitted on decomposition (carbon monoxide and ammonia), beginning at 180 - 210°C. Behavior in Fire: Vapor will burn in air above 310°F. (USCG, 1999)

5.3 Special protective actions for fire-fighters

Use water spray, alcohol-resistant foam, powder, carbon dioxide.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Collect leaking and spilled liquid in sealable containers as

far as possible. Absorb remaining liquid in dry sand or inert absorbent. Store and dispose of according to local regulations.

6.2 Environmental precautions

Personal protection: filter respirator for organic gases and vapours adapted to the airborne concentration of the substance. Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in dry sand or inert absorbent. Store and dispose of according to local regulations.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

NO open flames. See Chemical Dangers. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Separated from oxidants, acids and bases. Dry. For storage ... tanks of stainless steel or aluminum are indicated. When small amounts of iron are permissible, mild steel can be used for tank cars and drums. Caffeine, adenine and other purines stabilize formamide in storage ...

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

TLV: 10 ppm as TWA; (skin). MAK skin absorption (H)

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear face shield.

Skin protection

Protective clothing. Protective gloves.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state

Liquid.

Colour	Colorless.
Odour	Faint ammonia odor
Melting point/freezing point	2.6 °C.
Boiling point or initial boiling point and boiling range	218.3 °C. Atm. press.:1 013.3 hPa. Remarks:Normal boiling point, extrapolated.
Flammability	Class IIIB Combustible Liquid: Fl.P. at or above 200°F.
Lower and upper explosion limit/flammability limit	no data available
Flash point	152 °C. Atm. press.:1 013 hPa.
Auto-ignition temperature	> 500 °C. Atm. press.:1 013 hPa.
Decomposition temperature	210°C
pH	7.1 (0.5 molar aqueous soln)
Kinematic viscosity	dynamic viscosity (in mPa s) = 3.764. Temperature:20°C.
Solubility	greater than or equal to 100 mg/mL at 66° F (NTP, 1992)
Partition coefficient n-octanol/water	log Pow = -0.82. Temperature:25 °C. Remarks:No information on pH available.
Vapour pressure	1.001 mBar. Temperature:55.01 °C. Remarks:Lowest value measured.;0.06 hPa. Temperature:20 °C. Remarks:Extrapolated.
Density and/or relative density	1.13 g/cm³. Temperature:20 °C.
Relative vapour density	1.55 (vs air)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Decomposes at 180°C. This produces toxic and corrosive gases including ammonia and hydrogen cyanide. Reacts with oxidants, acids and bases. This generates fire and toxic hazard. Attacks aluminium, brass, copper, iron, lead and some forms of plastic.

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

Combustible when exposed to heat or flame. The vapour is heavier than air. FORMAMIDE is incompatible with strong oxidizers, acids and bases. Sensitive to light. Reacts with water very slowly at room temperature, but rate is accelerated by acids and bases at elevated temperatures. Incompatible with iodine, pyridine and sulfur trioxide. Reacts explosively with furfuryl alcohol, H₂O₂, Ti(NO₃)₃.H₂O, nitromethane and P₂O₅. An effective solvent: dissolves casein, glucose, tannins, starch, lignin, polyvinyl alcohol, cellulose acetate, nylon, the chlorides of copper, lead, zinc, tin, cobalt, iron, aluminum and nickel, the acetates of the alkali metals, some inorganic sulfates and nitrates. Attacks copper and brass (NTP, 1992).

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Incompatible with iodine, pyridine and sulfur trioxide.

10.6 Hazardous decomposition products

When heated to decomposition, emits toxic fumes of /nitrogen oxides/.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 - rat (male/female) - ca. 5 325 mg/kg bw. Remarks: After 14 days.
- Inhalation: LC50 - rat (male) - > 21 mg/L air.
- Dermal: LD50 - rat (male/female) - > 3 000 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

The substance is moderately irritating to the eyes and skin. The substance may cause effects on the central nervous system.

STOT-repeated exposure

May cause toxicity to human reproduction or development.

Aspiration hazard

A harmful contamination of the air will not or will only very slowly be reached on evaporation of this substance at 20°C.

SECTION 12: Ecological information**12.1 Toxicity**

- Toxicity to fish: LC50 - *Leuciscus idus* - 6 569 mg/L - 96 h.
- Toxicity to daphnia and other aquatic invertebrates: EC50 - *Daphnia magna* - > 500 mg/L - 48 h.
- Toxicity to algae: EC50 - *Desmodesmus subspicatus* (previous name: *Scenedesmus subspicatus*) - > 500 mg/L - 72 h.
- Toxicity to microorganisms: NOEC - activated sludge from laboratory waste water plant treating municipal sewage - 1 000 mg/L - 30 min. Remarks: Respiration rate.

12.2 Persistence and degradability

AEROBIC: Theoretical BODs were measured for formamide of 1.6, 4.7, and 11.8% over 6-, 12-, and 24-hr inoculation periods(1), respectively. Theoretical BODs greater than 30% over a 2 week incubation period(2,3), and 22.6 and 57.7% over a 2 week incubation period(4) were noted using the Japanese MITI standard BOD test.

12.3 Bioaccumulative potential

An estimated BCF of 3 was calculated for formamide(SRC), using a log K_{ow} of -1.51(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

The K_{oc} of formamide is 3.6(1). According to a classification scheme(2), this K_{oc} value suggests that formamide is expected to have very high mobility in soil(SRC).

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.)

IATA: Not dangerous goods. (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Formamide	Formamide	75-12-7	200-842-0
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.

United States Toxic Substances Control Act (TSCA) Inventory	Listed.
China Catalog of Hazardous chemicals 2015	Not Listed.
New Zealand Inventory of Chemicals (NZIoC)	Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Listed.
Vietnam National Chemical Inventory	Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)	Listed.
Korea Existing Chemicals List (KECL)	Listed.

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019

Revision Date July 15, 2019

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Any questions regarding this SDS, Please send your inquiry to sds@xixisys.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.