

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0
Creation Date: July 15, 2019
Revision Date: July 15, 2019

SECTION 1: Identification

1.1 GHS Product identifier

Product name Propionic acid

1.2 Other means of identification

Product number -
Other names Propionic acid; Propanoic acid

1.3 Recommended use of the chemical and restrictions on use

Identified uses Industrial and scientific research use.
Uses advised against no data available

1.4 Supplier's details

Company Shanghai Yansheng Internet Technology Co., Ltd
Address 513, A3 / F, green space future center, Fengxian District, Shanghai, 201400, China
Telephone +86-4000-6969-66

1.5 Emergency phone number

Emergency phone number +86-4000-6969-66
Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Skin corrosion, Sub-category 1B

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word Danger
Hazard statement(s) H314 Causes severe skin burns and eye damage
Precautionary statement(s)
Prevention P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P264 Wash ... thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
Response P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

	P363 Wash contaminated clothing before reuse.
	P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P316 Get emergency medical help immediately.
	P321 Specific treatment (see ... on this label).
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	P405 Store locked up.
Disposal	P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Propionic acid	Propionic acid	79-09-4	201-176-3	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Fresh air, rest. Half-upright position. Refer for medical attention.

Following skin contact

Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention .

Following eye contact

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

Following ingestion

Rinse mouth. Do NOT induce vomiting. Give one or two glasses of water to drink. Refer for medical attention .

4.2 Most important symptoms/effects, acute and delayed

Liquid causes skin and eye burns. Vapors may irritate eeyes, nose, and throat, but should not cause systemic illness. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Basic treatment: Establish a patent airway. Suction if necessary. Watch for signs of respiratory insufficiency and assist respirations if necessary. Administer oxygen by nonrebreather mask at 10 to 15 L/min. Monitor for pulmonary edema and treat if necessary ... Monitor for shock and treat if necessary ... For eye contamination, flush eyes immediately with water. Irrigate each eye continuously with normal saline during transport ... Do not use emetics. For ingestion, rinse mouth and administer 5 ml/kg up to 200 ml of water for dilution if the patient can swallow, has a strong gag reflex, and does not drool. Activated charcoal is not effective ... Do not attempt to neutralize because of exothermic reaction. Cover skin bumps with dry, sterile dressings after decontamination ... Organic acids and related compounds

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water spray, dry chemical, "alcohol resistant" foam, or carbon dioxide. Use water spray to keep fire-exposed containers cool.

5.2 Specific hazards arising from the chemical

Excerpt from ERG Guide 132 [Flammable Liquids - Corrosive]: Flammable/combustible material. May be ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks). Vapor explosion hazard indoors, outdoors or in sewers. Those substances designated with a (P) may polymerize explosively when heated or involved in a fire. Runoff to sewer may create fire or explosion hazard. Containers may explode when heated. Many liquids are lighter than water. (ERG, 2016)

5.3 Special protective actions for fire-fighters

Use water spray, powder, alcohol-resistant foam, carbon dioxide. In case of fire: keep drums, etc., cool by spraying with water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations. Do NOT let this chemical enter the environment. Personal protection: chemical protection suit including self-contained breathing apparatus.

6.2 Environmental precautions

Collect leaking and spilled liquid in sealable containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations. Do NOT let this chemical enter the environment. Personal protection: chemical protection suit including self-contained breathing apparatus.

6.3 Methods and materials for containment and cleaning up

Use water spray to cool and disperse vapors, protect personnel, and dilute spills to form nonflammable mixtures. Control runoff and isolate discharged material for proper disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

NO open flames, NO sparks and NO smoking. Above 54°C use a closed system, ventilation and explosion-proof electrical equipment. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Fireproof. Separated from strong oxidants, strong bases and food and feedstuffs. Outside or detached storage is preferred. Store in a cool, dry, well-ventilated location.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

TLV: 10 ppm as TWA. MAK: 31 mg/m³, 10 ppm; peak limitation category: I(2); pregnancy risk group: C. EU-OEL: 31 mg/m³, 10 ppm as TWA; 62 mg/m³, 20 ppm as STEL

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear face shield.

Skin protection

Protective gloves. Protective clothing.

Respiratory protection

Use ventilation, local exhaust or breathing protection.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Liquid.
Colour	Clear, colorless.
Odour	Slightly pungent disagreeable, rancid odor
Melting point/freezing point	-21.5 °C.
Boiling point or initial boiling point and boiling range	140.7 - 141.4 °C. Atm. press.:1 013 hPa.
Flammability	Class II Combustible Liquid: Fl.P. at or above 100°F and below 140°F.
Lower and upper explosion limit/flammability limit	Lower flammable limit: 2.9% by volume; Upper flammable limit: 12.1% by volume
Flash point	53 °C. Atm. press.:1 013.25 hPa.
Auto-ignition temperature	440 °C. Atm. press.:1 013 hPa.
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	dynamic viscosity (in mPa s) = 1.102. Temperature:20°C. Remarks:Staudinger; Bauer.;dynamic viscosity (in mPa s) = 0.84. Temperature:20°C. Remarks:Kohler, Friedrich; Atrops, H.; Kalali, H.; Liebermann, E.; Wilhelm, Emmerich; et al.
Solubility	Miscible with water
Partition coefficient n-octanol/water	log Pow = 0.33. Remarks:No experimental values for the temperature and pH are available.
Vapour pressure	3.9 hPa. Temperature:20 °C.
Density and/or relative density	0.99 g/cm ³ . Temperature:20 °C.
Relative vapour density	2.55 (vs air)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The substance is a medium strong acid. Reacts with bases, strong oxidants and amines. This generates fire and explosion hazard. Attacks many metals. This produces flammable/explosive gas (hydrogen - see ICSC 0001).

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

Flammable liquid. Highly flammable when exposed to heat, flame, or oxidizers. PROPIONIC ACID is a colorless, oily liquid, moderately toxic, corrosive. Flammable when exposed to heat, flame or oxidizers. When heated to decomposition it emits acrid smoke and irritating fumes [Lewis, 3rd ed., 1993, p. 1090].

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Alkalis, strong oxidizers (e.g., chromium trioxide) [Note: Corrosive to steel].

10.6 Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating fumes.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 - rat (male/female) - 3 455.1 mg/kg bw. Remarks: At all doses symptoms included: apathy, dyspnoea, partly cyanosis, intermittent breathing, crouching position, agitation.
- Inhalation: LC50 - rat (male/female) - > 19.7 mg/L air.
- Dermal: LD50 - rat (female) - 3 235 mg/kg bw.

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

The substance is corrosive to the eyes, skin and respiratory tract.

STOT-repeated exposure

no data available

Aspiration hazard

A harmful contamination of the air can be reached rather quickly on evaporation of this substance at 20°C.

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: LC50 - *Leuciscus idus* - > 10 000 mg/L - 96 h.
- Toxicity to daphnia and other aquatic invertebrates: EC50 - *Daphnia magna* - > 500 mg/L - 48 h.

- Toxicity to algae: EC50 - *Desmodesmus subspicatus* (previous name: *Scenedesmus subspicatus*) - > 500 mg/L - 72 h.
- Toxicity to microorganisms: EC20 - activated sludge, domestic - 500 - 1 040 mg/L - 30 min. Remarks:Respiration rate.

12.2 Persistence and degradability

AEROBIC: a number of aerobic biological screening studies, which utilized settled waste water, sewage, or activated sludge for inocula, have demonstrated that propionic acid is readily biodegradable(1-14). For example, 5 day theoretical BOD's of 23-55%(6), 37% (15), 40%(9) and 71%(2) have been reported. These studies indicate propionic acid should degrade rapidly under most environmental conditions.

12.3 Bioaccumulative potential

An estimated BCF of 3.2 was calculated for propionic acid(SRC), using a log Kow of 0.33(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low.

12.4 Mobility in soil

The Koc of propionic acid is estimated as 36(SRC), using a log Kow of 0.33(1) and a regression-derived equation(2). According to a classification scheme(3), this estimated Koc value suggests that propionic acid is expected to have very high mobility in soil. The pKa of propionic acid is 4.87(4), indicating that this compound will primarily exist in anion form in the environment and anions generally do not adsorb more strongly to soils containing organic carbon and clay than their neutral counterparts(5).

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: UN1848 (For reference only, please check.)

IMDG: UN1848 (For reference only, please check.)

IATA: UN1848 (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: PROPIONIC ACID with not less than 10% and less than 90% acid by mass (For reference only, please check.)

IMDG: PROPIONIC ACID with not less than 10% and less than 90% acid by mass (For reference only, please check.)

IATA: PROPIONIC ACID with not less than 10% and less than 90% acid by mass (For reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: 8 (For reference only, please check.)

IMDG: 8 (For reference only, please check.)

IATA: 8 (For reference only, please check.)

- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Any questions regarding this SDS, Please send your inquiry to sds@xixisys.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.