

SAFETY DATA SHEETS

According to the UN GHS revision 9

Version: 1.0
Creation Date: July 15, 2019
Revision Date: July 15, 2019

SECTION 1: Identification

1.1 GHS Product identifier

Product name Diisobutyl phthalate

1.2 Other means of identification

Product number -
Other names Phthaloyl dichloride; Phthalyl chloride; Phthalic dichloride

1.3 Recommended use of the chemical and restrictions on use

Identified uses Industrial and scientific research use.
Uses advised against no data available

1.4 Supplier's details

Company Shanghai Yansheng Internet Technology Co., Ltd
Address 513, A3 / F, green space future center, Fengxian District, Shanghai, 201400, China
Telephone +86-4000-6969-66

1.5 Emergency phone number

Emergency phone number +86-4000-6969-66
Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Reproductive toxicity, Category 1B

2.2 GHS label elements, including precautionary statements

Pictogram(s)



Signal word Danger
Hazard statement(s) none
Precautionary statement(s)
Prevention P203 Obtain, read and follow all safety instructions before use.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
Response P318 IF exposed or concerned, get medical advice.
Storage P405 Store locked up.
Disposal P501 Dispose of contents/container to an appropriate treatment

and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards which do not result in classification

no data available

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Diisobutyl phthalate	Diisobutyl phthalate	84-69-5	201-553-2	100%

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

If inhaled

Fresh air, rest.

Following skin contact

Rinse and then wash skin with water and soap.

Following eye contact

Rinse with plenty of water for several minutes (remove contact lenses if easily possible).

Following ingestion

Rinse mouth.

4.2 Most important symptoms/effects, acute and delayed

Vapors from very hot material may irritate eyes and produce headache, drowsiness, and convulsions. (USCG, 1999)

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Immediate first aid: Ensure that adequate decontamination has been carried out. If patient is not breathing, start artificial respiration, preferably with a demand-valve resuscitator, bag-valve-mask device, or pocket mask, as trained. Perform CPR as necessary. Immediately flush contaminated eyes with gently flowing water. Do not induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain an open airway and prevent aspiration. Keep patient quiet and maintain normal body temperature. Obtain medical attention. Esters and related compounds

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, powder, carbon dioxide.

5.2 Specific hazards arising from the chemical

This chemical is combustible. (NTP, 1992)

5.3 Special protective actions for fire-fighters

Use water spray, alcohol-resistant foam, powder, carbon dioxide.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Collect leaking and spilled liquid in covered containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

6.2 Environmental precautions

Collect leaking and spilled liquid in covered containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

6.3 Methods and materials for containment and cleaning up

Spillage Disposal: Collect leaking and spilled liquid in covered containers as far as possible. Absorb remaining liquid in sand or inert absorbent. Then store and dispose of according to local regulations.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

NO open flames. Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Separated from strong oxidants./Store/ separated from strong oxidants.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure limit values

Component	Diisobutyl phthalate			
CAS No.	84-69-5			
	Limit value - Eight hours		Limit value - Short term	
	ppm	mg/m ³	ppm	mg/m ³
Denmark		3		6
Ireland		5		
Latvia		1		
New Zealand		5		
United Kingdom		5		
	Remarks			

Biological limit values

no data available

8.2 Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Wear safety spectacles.

Skin protection

Protective gloves.

Respiratory protection

Use ventilation.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties and safety characteristics

Physical state	Di-isobutyl phthalate is an oily colorless liquid with a slight ester odor. Denser than water. Insoluble in water. Low toxicity.
Colour	Liquid
Odour	no data available
Melting point/freezing point	158°C(dec.)(lit.)
Boiling point or initial boiling point and boiling range	327°C(lit.)
Flammability	Combustible. Gives off irritating or toxic fumes (or gases) in a fire.
Lower and upper explosion limit/flammability limit	Lower flammable limit: 0.4% by volume at 448 deg F
Flash point	109°C
Auto-ignition temperature	810° F (USCG, 1999)
Decomposition temperature	no data available
pH	no data available
Kinematic viscosity	41 mPa.s at 20 deg C
Solubility	Insoluble (NTP, 1992)
Partition coefficient n-octanol/water	log Kow = 4.11
Vapour pressure	4.76X10-5 mm Hg at 25 deg C /from experimentally derived coefficients/
Density and/or relative density	1.039g/mL at 25°C(lit.)
Relative vapour density	9.59 (NTP, 1992) (Relative to Air)
Particle characteristics	no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Decomposes on heating. This produces irritating fumes. Reacts with strong oxidants.

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

Combustible DI-ISOBUTYL PHTHALATE reacts with acids to liberate heat along with isobutyl alcohol and phthalic acid. May react sufficiently exothermically with strong oxidizing acids to ignite the reaction products. Heat is also generated by interaction with caustic solutions. Flammable hydrogen is generated by mixing with alkali metals and hydrides. Can generate electrostatic charges in handling [Handling Chemicals Safely, 1980. p. 250].

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

When heated to decomposition it emits acrid smoke and fumes.

SECTION 11: Toxicological information

Acute toxicity

- Oral: LD50 Rat oral 15000 mg/kg
- Inhalation: no data available
- Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

Animal tests show that this substance possibly causes toxicity to human reproduction or development.

Aspiration hazard

A harmful contamination of the air will be reached rather slowly on evaporation of this substance at 20°C.

SECTION 12: Ecological information

12.1 Toxicity

- Toxicity to fish: LC50; Species: Pimephales promelas (Fathead minnow) age 29 days, mean length 17.6 mm, mean weight 0.056 g; Conditions: flow through, 25.1 deg C, pH 7.38, hardness 44.8 mg/L CaCO₃, alkalinity 49.4 mg/L CaCO₃, dissolved oxygen 7.0 mg/L; Concentration: 0.9 mg/L for 96 hr (95% confidence limit: 0.73-1.10 mg/L) /99+% purity
- Toxicity to daphnia and other aquatic invertebrates: no data available
- Toxicity to algae: EC50; Species: Scenedesmus subspicatus (Green algae); Concentration: 1 mg/L for 72 hr; Effect: biomass /Conditions of bioassay not specified in source examined/ /Purity 97.5% (peak area)
- Toxicity to microorganisms: no data available

12.2 Persistence and degradability

AEROBIC: Diisobutyl phthalate was completely biodegraded during 6 day die-away tests using water from an urban river and polluted seawater(1). In seawater, diisobutyl phthalate was degraded 15 and 35% after 7 and 14 days, respectively(1). Diisobutyl phthalate had a reported first-order biodegradation constant rate of 0.8/day with a half-life of 0.87 days in a river die-away test shaken at 25 deg C(2). A removal efficiency of 65% was reported following analysis of the Kalby wastewater treatment plant in Lund, Sweden on October 21, 2002; influent and effluent concentrations were 0.04 and 0.01 ug/L, respectively(3).

Diisobutyl phthalate reached 98% of its theoretical BOD in 4 weeks using an activated sludge inoculum in the Japanese MITI test(4).

12.3 Bioaccumulative potential

An estimated BCF of 240 was calculated in fish for diisobutyl phthalate(SRC), using a log Kow of 4.11(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is high(SRC). However, bioconcentration studies on compounds which are structurally similar suggest that bioconcentration may be lower than that indicated by the regression-derived equations due to the ability of aquatic organisms to readily metabolize this class of compounds(4).

12.4 Mobility in soil

A measured log Koc value of 3.14 (Koc 1,380) has been reported for diisobutyl phthalate in soil(1-2) and a measured Koc of 1,020 has been reported in suspended solids(3). According to a classification scheme(4), these Koc values suggest that diisobutyl phthalate is expected to have low mobility in soil. A log Koc value of 5.90 was measured in suspended sediment-seawater samples collected from False Creek Harbor, Van Couver, British Columbia, Canada(5).

12.5 Other adverse effects

no data available

SECTION 13: Disposal considerations

13.1 Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

14.1 UN Number

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

14.2 UN Proper Shipping Name

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

14.3 Transport hazard class(es)

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

14.4 Packing group, if applicable

ADR/RID: Not dangerous goods. (For reference only, please check.)

IMDG: Not dangerous goods. (For reference only, please check.) IATA: Not dangerous goods. (For reference only, please check.)

14.5 Environmental hazards

ADR/RID: No

IMDG: No

IATA: No

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Diisobutyl phthalate	Diisobutyl phthalate	84-69-5	201-553-2
European Inventory of Existing Commercial Chemical Substances (EINECS)			Listed.
EC Inventory			Listed.
United States Toxic Substances Control Act (TSCA) Inventory			Listed.
China Catalog of Hazardous chemicals 2015			Listed.
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Chinese Chemical Inventory of Existing Chemical Substances (China IECSC)			Listed.
Korea Existing Chemicals List (KECL)			Listed.

SECTION 16: Other information

Information on revision

Creation Date July 15, 2019

Revision Date July 15, 2019

Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Any questions regarding this SDS, Please send your inquiry to sds@xixisys.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.